

IN THE CLAIMS

Please amend the claims as follows:

1.-3. (Canceled)

4. (Previously presented) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, remotely receiving a recall command including a unique application identification for a targeted application available for execution on said computer platform of said wireless device; and

responsive to said remote recall command, uninstalling said targeted application without requiring end-user interaction, wherein the uninstalling of said targeted application results in the application no longer functioning.

5. (Previously presented) The method of claim 4, wherein the recall command comprises an identification of said specific application and an instruction for causing said wireless device to delete said targeted application.

6. (Previously presented) The method of claim 5, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

7.-8. (Canceled)

9. (Previously presented) The method of claim 5, wherein said step of uninstalling comprises:

searching a database on said wireless device using said unique application identification to determine an address range corresponding to said targeted application; and
deleting contents of said address range.

10. (Previously presented) A server which recalls a targeted application installed on a subset of wireless devices selected from a set of wireless devices said server capable of communicating with the set of wireless devices over a wireless network, the server comprising:

a database for identifying each application installed on each wireless device of said set;
a processor which searches said database to identify said subset of wireless devices having said targeted application installed; and

a communication interface which sends an application recall command including a unique application identification for the targeted application to each wireless device in said subset which initiates uninstalling said targeted application without requiring user interaction on the wireless devices, wherein the uninstalling of said targeted application results in the targeted application no longer functioning.

11. (Previously presented) The server of claim 10, wherein each recall command comprises an instruction for causing one of said wireless devices from said subset of wireless devices to delete said targeted application.

12.-19. (Canceled)

20. (Previously presented) The server of claim 11, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

21. (Previously presented) The method of claim 5, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said targeted application.

22. (Previously presented) The server of claim 10, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said targeted application.

23.24 (Canceled)

25. (Previously presented) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, remotely receiving a recall message including a unique application identification for a targeted application; and

responsive to said remote recall message, checking-in with a server on said wireless network to determine whether to uninstall the targeted application on said wireless device without requiring end-user interaction, wherein the uninstalling of said targeted application results in the application no longer functioning.

26. (Previously presented) A wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

means for booting-up the wireless device, said means for booting-up configured to initialize said wireless device for normal communications over the wireless network;

means for remotely receiving, after the means for booting-up boots-up the wireless device, a recall command including a unique application identification for a targeted application available for execution on said computer platform of said wireless device; and

means for uninstalling, responsive to said remote recall command, said targeted application without requiring end-user interaction, wherein the uninstallation of the means for uninstalling results in the targeted application no longer functioning.

27. (Currently amended) A computer-readable storage medium comprising instructions, which, when executed by a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, cause the wireless device to perform operations, the instructions comprising:

program code to boot-up the wireless device, said program code to boot-up configured to initialize said wireless device for normal communications over the wireless network;

program code to remotely receive, after the program code to boot-up boots-up the wireless device, a recall command including a unique application identification for a targeted application available for execution on said computer platform of said wireless device; and program code to uninstall, responsive to said remote recall command, said targeted application without requiring end-user interaction, wherein the uninstallation of the program code to uninstall results in the targeted application no longer functioning.